

# HURST GREEN PRIMARY SCHOOL



## Administration of Medicines in School Policy

Policy for the attention of			
Audience	Key Audience	Optional Audience	Additional/Notes
Senior Leadership Team	✓		
Teachers	✓		
Teaching Assistants	✓		
Administrative Staff	✓		
Lunchtime Supervisors	✓		
Site Manager		✓	
Cleaners		✓	
Governors	✓		
Parents	✓		
Website	✓		
Local Authority		✓	

Responsibility of	Premises
Reviewed	Every 2 years in conjunction with the Health & Safety policy
Previous versions agreed	22 October 2018; 9 April 2019; 3 June 2019; 6 July 2022
This version agreed	13 June 2023
Next Review Due	Summer 2024

We acknowledge that under the standard terms and conditions for the employment of teachers there is no legal duty for them to administer or to supervise a child taking medication.

Administration of medicines by any member of the school personnel is undertaken purely on a voluntary basis and individual decisions will be respected.

Medicines will only be administered that have been prescribed by a doctor

- Where the dosage is prescribed to be taken evenly throughout the day and where it would be detrimental to a child's health if the medicine were not administered during the day.
- Where medication needs to be taken before or after a meal or at a prescribed time which falls within the school day.
- Where an agreed health care plan states that medication should be administered under specific circumstances, for example, emergency medication such as auto adrenaline injectors, epilepsy medication or diabetic care medication.

Non-prescription medicines will not be administered by staff but parents/carers can make arrangements to administer the medication to their child themselves. Consideration for administering non-prescription medication and/or prescribed medications may be given in individual circumstances following discussion with the Headteacher, Deputy Headteacher or SENDCo.

Asthma inhalers should be named and brought to school in a box with a lid. The inhalers are kept in the classroom in the red medical box.

Staff will keep a record of all medication use on medical tracker and email notifications of administered medication will be sent to parents unless a specific health care plan has a separately agreed documentation method, for example diabetic care being logged on diabetic records/devices.

This policy has been written in conjunction with the DfE 'Managing Medicines in Schools & Early Years Settings' document and 'Keeping Children Safe and Well' Dudley MBC guidelines.

## Aims

- To outline the procedures for administering prescribed medicines to pupils.

## Procedure

<b>Role of the Governing Board</b>	<p>The DfE document states that the governing board should develop policies to cover the needs of their own school.</p> <ul style="list-style-type: none"><li>• The Governing Board has:<ul style="list-style-type: none"><li>▪ a responsibility for the effective implementation, monitoring and evaluation of this policy.</li></ul></li></ul>
------------------------------------	--

<p><b>Role of the Headteacher</b></p>	<ul style="list-style-type: none"> <li>• The Headteacher will: <ul style="list-style-type: none"> <li>▪ ensure the administration of prescribed medicines by putting into practice effective strategies and examples of good practice</li> <li>▪ make sure all staff are aware of the policy and procedure</li> <li>▪ inform parents of the school policy via the school prospectus and school website</li> <li>▪ ensure that staff receive appropriate support and training</li> </ul> </li> </ul>
<p><b>Role of the Designated Person/s</b></p>	<ul style="list-style-type: none"> <li>• Members of the school personnel who have volunteered to administer or supervise the taking of medication will: <ul style="list-style-type: none"> <li>▪ undertake appropriate training as deemed necessary</li> <li>▪ be up to date with the Individual Health Care Plans for those pupils with specific medical needs or emergency medication</li> <li>▪ follow the procedures outlined in this policy using the appropriate procedures outlined in this policy.</li> <li>▪ take all reasonable precautions to ensure the safe administration of medicines</li> <li>▪ to contact parents with any concerns without delay</li> <li>▪ to contact emergency services if necessary without delay</li> <li>▪ contact parents should medication be running low</li> <li>▪ monitor the expiry date of medications kept in school and notify parents when the expiry date is approaching.</li> <li>▪ to monitor the expiry date of the emergency inhaler and auto adrenaline injector.</li> <li>▪ to maintain the defibrillator in terms of checking the battery life. The defibrillator does not require training to use, but school may choose to provide training for new staff.</li> </ul> </li> </ul>
<p><b>Role of Parents/Carers</b></p>	<ul style="list-style-type: none"> <li>• It is the parent's responsibility to provide: <ul style="list-style-type: none"> <li>▪ written permission by completing the Medication Consent Form (see appendix 1)</li> <li>▪ sufficient medical information on their child's medical condition</li> <li>▪ the medication in its original container</li> <li>▪ sufficient medicine for the dosage to be given in school</li> <li>▪ safe disposal of the date-expired medicines</li> <li>▪ to ensure that medicines are in date and that asthma inhalers sent into school are sufficiently full.</li> <li>▪ Monitor messages sent home re use of inhaler in order to ascertain when an inhaler might be getting empty.</li> <li>▪ to notify the school of changes in a child's medical needs e.g. when medicine is no longer required or when a child develops a new need, e.g. asthma</li> </ul> </li> </ul>

<b>Administration of Prescribed Medicines</b>	<ul style="list-style-type: none"> <li>• Members of the school personnel who have volunteered to administer or supervise the taking of medication will: <ul style="list-style-type: none"> <li>• be aware of Individual Health Care Plans and of symptoms which may require emergency action where appropriate</li> <li>• read and check the Medication Consent Forms before administering or supervising the taking of medicines</li> <li>• check that the medication belongs to the named pupil</li> <li>• check that the medication is within the expiry date</li> <li>• confirm the dosage/frequency on each occasion to prevent incorrect dosage being given.</li> <li>• record on the medication use on medical tracker, including all relevant details of when medication was given and send an email notification to the specified parent (unless a specific healthcare plan has a different pre-agreed recording system such as for diabetic care.</li> <li>• return medications to the secure place for storage</li> <li>• always take appropriate hygiene precautions</li> <li>• record when a child refuses to take medication</li> <li>• immediately inform the parent/carer of this refusal</li> <li>• certain medicines require 2 members of staff to be present</li> </ul> </li> </ul>
<b>Use of emergency salbutamol inhaler</b>	<ul style="list-style-type: none"> <li>• The emergency salbutamol inhaler should only be used by children, from whom written parental consent for use of the emergency inhaler has been given, who have either been diagnosed with asthma and prescribed an inhaler, or who have been prescribed an inhaler as reliever medication.</li> <li>• The emergency salbutamol inhaler can be reused, provided it is cleaned after use. The inhaler canister should be removed, and the plastic inhaler housing and cap should be washed in warm water, and left to dry in a clean, safe place.</li> </ul>
<b>Use of emergency auto adrenaline injector</b>	<ul style="list-style-type: none"> <li>• The emergency auto adrenaline injector should only be used by children, from whom written parental consent for use of the emergency injector has been given, who have been diagnosed with an allergy and prescribed an auto adrenaline injector.</li> <li>• The emergency injector cannot be reused and will be replaced after use.</li> </ul> <p>In the case of a child with a previously undiagnosed allergy having their first anaphylactic reaction at school, the emergency auto adrenaline injector would be used only on the advice of emergency services and would fall under our policy to follow medical advice in the event of an emergency. School staff will advise emergency services that we have two emergency auto adrenaline injectors in school; one of each dose.</p>
<b>Medication Record</b>	<ul style="list-style-type: none"> <li>• All medications administered are to be recorded on the appropriate medication record.</li> </ul>

<b>Storing Medicines</b>	<ul style="list-style-type: none"> <li>• All medications will be kept in a safe place and accessible only to the relevant persons.</li> <li>• Asthma inhalers should be stored freely accessible to staff and labelled with the child's name in the classroom</li> <li>• The resources room fridge will be used for medications that need to be kept cool</li> <li>• No medicines, other than asthma inhalers, may be kept in the classroom unless authorised by the Headteacher, Deputy Headteacher or SENCo.</li> </ul>
<b>Educational Visits</b>	<ul style="list-style-type: none"> <li>• Children with medical needs are given the same opportunities as other children. Staff may need to consider what is necessary for all children to participate fully and safely on school trips</li> <li>• Educational visits leader is responsible for designating a school first aider for the trip</li> <li>• Designated school first aider on the trip will administer any medicines required and record details</li> <li>• Educational visits leader is responsible for ensuring that arrangements are in place for any child with medical needs prior to a trip taking place, including asthma inhalers. A copy of any relevant health care plan should be taken on the trip</li> </ul>
<b>Staff medicines</b>	<ul style="list-style-type: none"> <li>• Staff members who might need to self-administer prescription or non-prescription medicines should ensure they are safely stored in a locked drawer or cabinet</li> </ul>
<b>Effectiveness</b>	<ul style="list-style-type: none"> <li>• We believe this policy will be effective only if we ensure consistency across the school by regular monitoring.</li> </ul>
<b>Infection Control</b>	<ul style="list-style-type: none"> <li>• Appendix 2 details guidance on infection control in schools and other childcare settings provided by the Health Protection Agency. A large version of this document is displayed in the school office.</li> <li>• A link is also available on the school website.</li> </ul>

## Consent form to administer medicines

## Appendix 1

The school staff will not give any medication unless this form is completed and signed.

Dear Headteacher at Hurst Green Primary School

I request and authorise that my child \*be given/gives himself/herself the following medication:  
(\*delete as appropriate)

Name of child		Date of birth	
Address			
Daytime Tel no(s)			
School/setting	Hurst Green Primary School		
Class (where applicable)			
Name of medicine			
Circle as appropriate	Prescription / Over the counter		
Reason for medicine			
Special precautions, e.g. take after eating			
Are there any side effects that the school/setting need to know about?			
Time of dose		Dose	
Start date		Finish date	

This medication has been prescribed for my child by the GP/other appropriate medical professional whom you may contact for verification (where applicable).

Name of medical professional	
Contact telephone number	

I confirm that:

- It is necessary to give this medication during the school/setting day
- I agree to collect it at the end of the day/week/half term (delete as appropriate)
- This medicine has been given without adverse effect in the past.

- The medication is in the original container indicating the contents, dosage and child's full name and is within its expiry date.
- The medication does not contain aspirin.

Signed (parent/carer)		Date	
-----------------------	--	------	--



# Guidance on infection control in schools and other childcare settings



Prevent the spread of infection by ensuring that the environment, high standards of personal hygiene and practice particularly handwashing, and maintaining a clean environment

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Respiratory infections	Common respiratory viruses	Control
Adenovirus	More	An upper respiratory tract infection with common cold
COVID-19	More	Upper respiratory tract infection with cough, fever, fatigue and loss of taste and smell
Enterovirus	More	Cough, cold, sore throat, fever, malaise, conjunctivitis
Human coronavirus 229E	More	Common cold, fever, cough, fatigue, malaise, conjunctivitis
Parainfluenza	More	Cough, cold, fever, malaise, conjunctivitis
Rhinovirus	More	Cough, cold, fever, malaise, conjunctivitis
Rotavirus	More	Diarrhoea, vomiting, fever, malaise
SARS-CoV-2	More	Cough, cold, fever, fatigue, malaise, loss of taste and smell
SARS-CoV-1	More	Cough, cold, fever, fatigue, malaise, loss of taste and smell
Seasonal influenza	More	Cough, cold, fever, malaise, conjunctivitis
Sentinel	More	Cough, cold, fever, malaise, conjunctivitis
Synovial virus	More	Cough, cold, fever, malaise, conjunctivitis
West Nile virus	More	Cough, cold, fever, malaise, conjunctivitis
Zika virus	More	Cough, cold, fever, malaise, conjunctivitis

Diarrhoea and vomiting illnesses	Common gastrointestinal viruses	Control
Adenovirus	More	Diarrhoea, vomiting, fever, malaise
Calicivirus	More	Diarrhoea, vomiting, fever, malaise
Rotavirus	More	Diarrhoea, vomiting, fever, malaise
SARS-CoV-2	More	Diarrhoea, vomiting, fever, malaise
SARS-CoV-1	More	Diarrhoea, vomiting, fever, malaise
Sentinel	More	Diarrhoea, vomiting, fever, malaise
Synovial virus	More	Diarrhoea, vomiting, fever, malaise
West Nile virus	More	Diarrhoea, vomiting, fever, malaise
Zika virus	More	Diarrhoea, vomiting, fever, malaise

Infectious mononucleosis	Common viral infections	Control
Adenovirus	More	Diarrhoea, vomiting, fever, malaise
Calicivirus	More	Diarrhoea, vomiting, fever, malaise
Rotavirus	More	Diarrhoea, vomiting, fever, malaise
SARS-CoV-2	More	Diarrhoea, vomiting, fever, malaise
SARS-CoV-1	More	Diarrhoea, vomiting, fever, malaise
Sentinel	More	Diarrhoea, vomiting, fever, malaise
Synovial virus	More	Diarrhoea, vomiting, fever, malaise
West Nile virus	More	Diarrhoea, vomiting, fever, malaise
Zika virus	More	Diarrhoea, vomiting, fever, malaise

Other infections	Common bacterial and parasitic infections	Control
Chlamydia	More	Diarrhoea, vomiting, fever, malaise
Diphtheria	More	Diarrhoea, vomiting, fever, malaise
Scarlet fever	More	Diarrhoea, vomiting, fever, malaise
Strep throat	More	Diarrhoea, vomiting, fever, malaise
Tuberculosis	More	Diarrhoea, vomiting, fever, malaise
Whooping cough	More	Diarrhoea, vomiting, fever, malaise
Yersinia enterocolitica	More	Diarrhoea, vomiting, fever, malaise
Legionnaires' disease	More	Diarrhoea, vomiting, fever, malaise
Shigellosis	More	Diarrhoea, vomiting, fever, malaise
Shigella flexneri	More	Diarrhoea, vomiting, fever, malaise
Shigella sonnei	More	Diarrhoea, vomiting, fever, malaise
Shigella flexneri	More	Diarrhoea, vomiting, fever, malaise
Shigella sonnei	More	Diarrhoea, vomiting, fever, malaise

Health protection unit (HPU) contact details for all local authorities and health protection units (HPUs) are available on the HPA website: [www.hpa.gov.uk](http://www.hpa.gov.uk)

Control measures include: ensuring that the environment is clean, high standards of personal hygiene and practice particularly handwashing, and maintaining a clean environment

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance

Please contact your local health protection unit (HPU) on [phone number] or visit [www.hpa.gov.uk](http://www.hpa.gov.uk) if you would like any further advice or information, including the latest guidance